

BS-7 Series & SB-75 Universal Speaker Stands & Mounts


Brateck




◀ BS-75
Height Adjustable



BS-76L ▶
Fixed



◀ SB-75
with Swiveling Arm



Extendable Clamp with 360° Rotation

provides wide compatibility as well as great flexibility



Tiltable Platform

allows users to adjust freely to a desired angle



Concealed Cable Management

keeps a clean and neat look




Wide Protective Pad

helps to reduce unwanted resonance and ensures a clean sound

Excellent Weight Capacity

makes it compatible with a device of nearly 25kg



Two Types of Feet Included

suit different surfaces and ensure stability (for BS-76M/76L)

① Extendable Clamp with 360° Rotation

Tiltable Platform

② Swiveling Arm ±45°


for effortless position change
(subject to the size of speakers)

BS-7 Series & SB-75 Universal Speaker Stands & Mounts

Brateck

Dimensions (mm)

BS-75 Height Adjustable



Dimensions

230x230x853~1123mm
(9.1"x9.1"x33.6"-44.2")

Height Range

853~1123mm
(33.6"-44.2")

Weight Capacity

5kg (11lbs)

Tilt Range

+10°~-10°

Swivel Range

+10°~-10°


Rotation

+180°~-180°

Material

Steel, Plastic

SB-75 Adjustable



Dimensions

269x290x179mm
(10.6"x11.4"x7")

Weight Capacity

25kg (55lbs)

Tilt Range (Platform)

+10°~-10°

Swivel Range (Platform)

+10°~-10°

Swivel Range (Arm)

±45°


Rotation

+180°~-180°

Material

Steel, Plastic

BS-76M Fixed




Dimensions

300x300x610mm
(11.8"x11.8"x24")

25kg (55lbs)
Tempered Glass,
Steel, Plastic

BS-76L Fixed



Dimensions

300x 300x 765mm
(11.8"x11.8"x30.1")

Weight Capacity

25kg (55lbs)

Material

Tempered Glass,
Steel, Plastic