

LDT72 Series

Premium Aluminum Articulating Monitor Arms & Stands


Exceptionally designed for premium workplace scenarios.




LDT72 Series

Premium Aluminum Articulating Monitor Arms & Stands

Brateck



VESA Plate with Keyhole Slots
provide quick monitor installation



Seamless side-by-side viewing
for dual and quad monitor arms

Multiple Mounting Options for different user needs




Clamp / Grommet Base



Freestanding Base

Premium Aluminum Monitor Arm with Laptop Tray

For Single Monitor and Laptop



75x75 VESA plate fits most monitors arms

Premium Aluminum Articulating Monitor Arms & Stands

For Single Monitor

[illegible]

www.cdlnz.com

3 years quality warranty

Premium Aluminum Articulating Monitor Arms & Stands

For Dual Monitors

Technical drawing of the 3-axis camera head (model 3000) showing dimensions and rotation ranges. The drawing includes a side view and a detail view of the base.

Dimensions:

- Horizontal distance from mounting bracket to first joint: 46mm
- Distance between first and second joints: 200mm
- Distance from second joint to camera body: 200mm
- Distance from camera body to mounting bracket: 66mm
- Mounting bracket height: 75mm, 100mm, 113mm
- Camera body height: 75mm, 100mm, 117mm
- Vertical distance from mounting bracket to base: 398mm
- Base height: 100mm
- Base diameter: $\varnothing 35\text{mm}$
- Base adjustment range: min10~max80mm
- Base detail adjustment range: min10~max40mm

Rotation Ranges:

- Horizontal rotation: $\pm 180^\circ$
- Vertical rotation: $\pm 90^\circ$ and -30°
- Base rotation: $\pm 135^\circ$
- Camera body rotation: $\pm 180^\circ$

Overall Height Range: min310~max622mm



Technical drawing of the Ergotron LX Workstation showing dimensions and adjustment ranges. The drawing includes the following specifications:

- Dimensions:**
 - Top arm segments: 46mm, 200mm, 200mm, 66mm
 - Base width: 286mm, 396mm
 - Vertical height: 413mm
 - Post diameter: Ø35mm
 - Adjustable arm segment: 75mm, 100mm, 115mm
 - Adjustable arm segment width: 75mm, 100mm
 - Adjustable arm segment depth: 117mm
- Adjustment Ranges:**
 - Horizontal rotation: $\pm 180^\circ$
 - Vertical rotation: $\pm 180^\circ$
 - Arm rotation: $\pm 135^\circ$
 - Head rotation: $\pm 90^\circ$
 - Head tilt: $+90^\circ$, -30°



www.cdlnz.com

3 years quality warranty

Premium Aluminum Articulating Monitor Arms & Stands

For Quad Monitors

Technical drawing of the ErgoChair 3, showing dimensions and adjustment ranges.

Dimensions:

- Seat height: 803mm
- Base width: 286mm
- Base depth: 396mm
- Seat depth: 460mm
- Backrest height: 1115mm
- Backrest width: 75mm, 100mm, 117mm
- Armrest height: 66mm
- Armrest width: 200mm
- Base diameter: Ø35mm

Adjustment Ranges:

- Backrest tilt: $\pm 180^\circ$
- Seat tilt: $\pm 180^\circ$
- Armrest tilt: $\pm 180^\circ$
- Base rotation: $\pm 135^\circ$
- Backrest rotation: $\pm 90^\circ$
- Seat rotation: $\pm 30^\circ$



www.cdlnz.com

3 years quality warranty