

# Product data sheet

Specifications



Schneider OffGrid Portable Power Station 730, 738Wh Lithium-ion, LCD, 2 AS3112 Australian outlets, Sinewave, 3 USB-A, 2 USB-C, Wireless Charger

PPS730-AZ

## Overview

Lead time Usually in Stock

## Main

Product or component type	Portable power station
Battery type	Li-Ion (Lithium-Ion)
Battery capacity in Wh	738 W.h
Number of input connectors	(1) 12...30 V DC, 10 A, (200 W) (1) 190...265 V AC, 0.65 A,
Number of output connectors	(2) australian, 230 V ,AC(700 W) 50 Hz, sine wave (2) USB type A, 5 V ,DC, 2.4 A(12 W) (1) USB type A quick charge, 5...12 V ,DC, 3 A(18 W) (1) USB type C, 5...20 V ,DC, 5 A(100 W) (1) USB type C quick charge, 5...12 V ,DC, 3 A(18 W) (1) car cigarette lighter port, 12 V ,DC, 10 A(120 W) (2) DC5521, 12 V ,DC, 5 A (1) wireless charging,DC(15 W)
Range of product	Schneider OffGrid
USB Charging Port	USB type A + C

## Complementary

Colour	Black and green
Height	250 mm
Width	200 mm
Depth	204 mm
Net weight	6.4 kg
Product specific application	For Caravan/Camping Power Supply Mobile wireless charging
Product certifications	CE RCM
Provided equipment	AC cable 1 car charging cable User manual
Battery capacity in Wh	738 W.h
Maximum configurable power in W	995 W
Minimum illuminance	185 lux

## Environment

---

Ambient air temperature for storage	-20...70 °C -20...70 °C
-------------------------------------	----------------------------

---

Charging temperature	0...40 °C -0...40 °C
----------------------	-------------------------

---

Discharging temperature	-10...40 °C -10...40 °C
-------------------------	----------------------------

---

## Packing Units

---

Unit Type of Package 1	PCE
------------------------	-----

---

Number of Units in Package 1	1
------------------------------	---

---

Package 1 Height	32.7 cm
------------------	---------

---

Package 1 Width	23.8 cm
-----------------	---------

---

Package 1 Length	32.2 cm
------------------	---------

---

Package 1 Weight	7.1 kg
------------------	--------

---

## Contractual warranty

---

Warranty (in months)	24
----------------------	----

---



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	288 kg CO2 eq.
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Carbon footprint of the manufacturing phase [A1 to A3]	166 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	19 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.6 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	18 kg CO2 eq.

## Use Better



### Materials and Substances

Average percentage of recycled plastic content	100 %
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes

## Use Longer



### Lifetime extension

Repair	No
--------	----

## Use Again



### Repack and remanufacture

Recyclability potential, in %	3
End of life manual availability	<a href="#">End of Life Information</a>
Take-back	No